



# Assistive Technology and/or **Environmental Interventions**

#### As defined in the CET Accreditation Standards

Narrator: Corinne Thomas, Senior Accreditation Coordinator, ACDS



## (ACDS Definition: Assistive Technology •\*\*



- Assistive technology (AT) is any

  - · piece of equipment
  - product or
  - system



that increases, maintains or improves the individuals' functional capacities

• Best practice is to find AT that will let individuals control their environments independently





## **Examples of AT**



#### Walking Aids

Walkers • Canes • Wheelchairs

#### **Eating Utensils**

Grippers or Foam Tubing on Cutlery • Scooper Plates Suction Pads on Plates, Cups and Cutting Boards

#### Communication Systems

Cell Phones • Talking Watches • Amplified Phones Type-to-Talk Devices • Text-to-Speech Devices Tablets • Large Button Devices • Adapted Software



### Definition: Environmental Intervention



 Environmental intervention (EI) refers to any equipment or modification that increases the individuals' functional capabilities



 Service providers are generally responsible for providing EI

© 2016 Alberta Council of Disability Services



## **Examples of EI**



#### Equipment

Ramps • Lifts • Grab bars • Non-skid Mats • Stair Glides Bath Chairs • Contrasting Toilet Seats or Covers

#### Interior and Exterior Modifications

Widened Doorways • Visual Contrast Tape Automatic and/or Delayed Door Openers Anti-scald Devices • Lowered Wall Outlets Voice Activated and/or Illuminated Wall Switches Intercom Systems • Walk-in Tubs and Showers

© 2016 Alberta Council of Disability Services

.



### Categories of AT and/or EI



- 1. AT and/or EI that increases an individual's independence
  - Category: Aids to Daily Living (ADL)
  - Examples
    - Canes
- WalkersRamps
- WheelchairsElevators
- Grippers and
- Grabbers

	WE NE
-	100
14	Sept.

© 2016 Alberta Council of Disability Services





- 1. AT and/or EI that increases an individual's independence
  - Category: Aids to Daily Living (ADL)
  - Documentation
    - Consent
    - General Guidelines
      - Maintenance & Repair information



© 2016 Alberta Council of Disability Service





- AT and/or EI that only limits an individual's independence to the extent needed to ensure health and safety
  - Category: Health and Safety (H&S)
  - Examples
    - Lap belts
    - A 3 or 5 point harness for posture



© 2016 Alberta Council of Disability Services





- AT and/or EI that only limits an individual's independence to the extent needed to ensure health and safety
  - Category: Health and Safety (H&S)
  - Documentation
    - Consent
    - Guidelines
    - Maintenance & Repair information



© 2016 Alberta Council of Disability Consissa





- AT and/or EI that only limits an individual's independence to the extent needed to address an identified behaviour of concern
  - Category: Behaviour of Concern (BOC)
  - Example
    - A 3 or 5 point harness to restrain an individual in a vehicle so that they will not hit the driver

© 2016 Alberta Council of Disability Service

10





When trying to determine which category to use

- Category: Health and Safety (H&S)
- Category: Behaviour of Concern (BOC)

ask the question, "What is the INTENT of the action or behaviour?"

- If it is a behaviour, then it is a BOC
- If it concerns posturing or falling, then it is H&S

© 2016 Alberta Council of Disability Services

- 11





- Category: Behaviour of Concern (BOC)
- Documentation
  - Standard 32-Planned Restrictive Procedures
  - Standard 31-Planned Positive Procedures



© 2016 Alberta Council of Disability Services

12



## **Qualified Professional**



- Prior to using any AT and/or EI
  - Consult a qualified professional
  - Get an outline of the appropriate and best use of the device









- Prior to using any AT and/or EI
  - Consult a qualified professional
    - Review not required unless requested by qualified professional
    - Review required if the individual's needs change





## **Guidelines and Consent**



- Guidelines can be provided by the qualified professional or through a staff write up
  - The purpose is to help staff

	be consistent		
•	Guidelines address maintenance, re	epair schedules,	and
	responsibilities		





- Guidelines ensure that
  - Staff to know what to do with the device
  - Individuals can be as independent as possible



- The level of detail is dependent on the device
- Informed, signed consent must be in place for all AT and/or EI



### Example #1



- ADL Wheelchair
- ADL Wheelchair with lap belt
  - Keep individual upright while in chair
- H&S Wheelchair with lap belt for safety
  - Individual needs staff help to get out of chair
- Wheelchair with lap belt and 5 point harness
  - Keep driver and individual safe when in a vehicle



## Example #2



H&S

- Arm restraints
  - Put on an individual when eating with the help of
  - · Stops the individual from knocking the food away

- Arm restraints
  - Put on an individual to prevent injury when selfabusing
  - Example: breaking of skin when biting self



# Example #3





- H&S Alarm on a door
  - Staff hear when a door is opening and an individual is going into the backyard



- BOC Alarm on a door
  - Staff are alerted to an individual who is exiting through the door
  - Staff can redirect the individual through a positive or restrictive strategy





- Category: Behaviour of Concern (BOC)
- Documentation
  - Standard 31-Planned Positive Procedures
  - Standard 32-Planned Restrictive Procedures







When trying to determine which category to use

- Category: Health and Safety (H&S)
- Category: Behaviour of Concern (BOC)


ask the question, "What is the INTENT of the action or behaviour?"







- Alarm and safety lock on the door
  - To keep individuals from running away
  - For the individual with the BOC
    - Must be treated as a restrictive plan
    - Must meet Standard 32



- Must meet the guidelines for use
- Must have consents in place





**ACDS** 

#### Note





- Video cameras in living areas may be used for
  - staff training
  - safety of individuals or staff
  - monitoring individuals with BOC
    - Standard 32 must be met
- Signed consents must be obtained from individuals and staff

© 2016 Alberta Council of Disability Services

23







- When video cameras are used in common areas, Policy and Procedures must outline
  - the intent for using the camera(s)
  - who monitors the footage and reviews continual need, with timelines
  - the storage and destruction of the images, with timelines
  - storage locations

© 2016 Alberta Council of Disability Services

...



# Any Questions?



This is a presentation of the

### **Alberta Council of Disability Services**

#### **Standards and Accreditation**

Bay 19, 3220 – 5 Avenue NE Calgary, AB T2A 5N1 Ph: (403) 250-9495 Fax: (403) 291-9864 Email: accred@acds.ca

Photos courtesy of FreeDigitalPhotos.net

© 2016 Alberta Council of Disability Service

25